





CUTTING EDGE DESIGNS

6D ADJUSTABLE

AUTOMATIC LUMBAR SUPPORT

SINGLE LEVER

FUNCTION CONTROL

TENSION CONTROL

TOUCH TO IDENTIFY



6D

ADJUSTABLE LUMBAR SUPPORT

STRONGER SUPPORT






17° ROTATE LEFT AND RIGHT



43_{mm}
ADJUST
FRONT AND REAR



SUPER MECHANISM

DRIFT TILT







POSITION MEMORY
SEGMENT LOCKING



QUICK RECLINETENSION ADJUSTMENT



FORWARD TILT DESIGN







SUPPORT



SUPER INTERLOCK RECLINE MODE

STABLE TILT AND RECLINE SUPPORT POSITIONS



Dual Mode Combination

NOVATIVE FUNCTION CONTROL

WIRELESS ELECTRIC CONTROL SINGLE-LEVER CONTROL








SEAT HEIGHT 90mm TRAVEL RANGE



50_{mm} SLIDE RANGE




OINDIVIDUAL ELASTOMER

10 ELASTIC MESH ZONES



FORWARD TILT ADJUSTMENT

SEAT BACK & CUSHION



Upgraded Operations

BACKREST HEIGHT ADJUSTMENT


4 LOCKING POSITIONS FOR PROPER POSTURE



FUNCTION TO ADJUST

SEAT DEPTH

ADJUSTMENT



5D⁺ ARMREST

5D FULLY ADJUSTABLE ARMREST SOFTER&LARGER ARMREST CUSHION






DEPTH








TACTILE CONTROL IDENTIFICATION







3D HEADREST

OPTIONAL







HEADREST **SETTING**



High-Tech Material














automated factory

Cutting-Edge Designs

SUPER INTELLIGENT PRODUCTION

Vertically Integrated Production Mode Rapid Fully-Automated Manufacturing High-tech Quality Control







1002PRO TECHNICAL SPECIFICATION

GREEN CREDENTIALS			CERTIFICATION	
GREENGUARD CERTIFICATION GREENGUARD Certification standards have established performance-based standards to define products and processes with low chemical and particle emissions for use indoors.	GOLD		EN 1335 -1:2020 -2:2018	YES YES
RECYCLABILITY MATERIAL ANALYSIS PLASTIC ALUMINIUM ALLOY STEEL UPHOLSTERY PU	97 CONTENT 26.16% 49.95% 20.22% 1.76% 1.92%	7% RECYCLED 29% 10% 10% -	ANSI/BIFMA X5.1-2017	YES
RECYCLED MATERIAL TOTAL	20%		Office furniture. Office work chair. Safety requirements.	

&OPTIONS 1002 PRO

DIMENSIONS

Unit: mm





FRAME OPTIONS



BLACK FRAME



SPACE GRAY FRAME

HEADREST OPTIONS



BLACK HEADREST



SPACE GRAY HEADREST

